



GOVERNMENT OF PUERTO RICO
PORTS AUTHORITY

TRANSMITTAL LETTER

COPY

DATE: May 3, 2023

TO: Mr. Kristian Busto
Comisión de Practicaje de Puerto Rico
compracticaje@prtc.net
Tel: 787-723-1982 / Fax: 787-273-2179

FROM: Romel Pedraza Claudio, P.E.
Assistant Executive Director (AED)
for Planning, Engineering, Construction,
Federal Funds and Environmental Affairs
Puerto Rico Ports Authority

2023 MAY -3 PM 3:08
COMISIÓN DE PRACTICAJE P.R.I.

SUBJECT DELIVERY OF DOCK DRAFT CERTIFICATION

These are transmitted as checked below:

- | | | |
|---|---|---|
| ☐ Urgent | ☐ For review | ☐ For review and comment |
| ☐ As requested | ☒ For your use | ☐ For approval & execution |
| ☐ Resubmit copies for approval | ☐ Submit copies for distribution | ☐ Approved as noted |
| ☐ Returned for corrections | ☐ Return corrected prints | ☐ Other: |

REMARKS:

Received by: DM

Date: 3 May 2023

Print Name: Diana E. Rivera

/isd



GOVERNMENT OF PUERTO RICO
PORTS AUTHORITY

DOCK DRAFT CERTIFICATION



GOVERNMENT OF PUERTO RICO
PORTS AUTHORITY

DOCK DRAFT CERTIFICATION

In accordance to Law 170, 08-12-1988 and Regulation No. 7214 "Reglas de Tránsito en los Puertos de Puerto Rico de 2006), Resolución Núm. 2006-002", the docking depth of the terminals operated by the Puerto Rico Ports Authority (PRPA) are hereby certified.

The data was provided by Javier E. Bidot Associates, PSC. bathymetry survey conducted between December 21, 2022 to January 10, 2023.

CROWLEY BERTH		
	Feet	Meter
Water Depth Alongside Dock	36.05	10.99
Required Water Depth	36	10.97
CROWLEY RAMP		
	Feet	Meter
Water Depth Alongside Dock	13.35	4.07
Required Water Depth	36	10.97
ISLA GRANDE C (CONCRETE)		
	Feet	Meter
Water Depth Alongside Dock	28.00	8.53
Required Water Depth		
ISLA GRANDE R (RAMP)		
	Feet	Meter
Water Depth Alongside Dock	12.39	3.78
Required Water Depth		
PAN-AMERICAN CRUISE SHIP DOCK - EAST		
	Feet	Meter
Water Depth Alongside Dock	33.67	10.26
Required Water Depth	36 + 2	10.97 + 0.61

PAN-AMERICAN CRUISE SHIP DOCK - WEST		
	Feet	Meter
Water Depth Alongside Dock	34.39	10.48
Required Water Depth	36 + 2	10.97 + 0.61
PIER 3 - EAST		
	Feet	Meter
Water Depth Alongside Dock	30.78	9.38
Required Water Depth	36 + 2	10.97 + 0.61
PIER 3 - WEST		
	Feet	Meter
Water Depth Alongside Dock	31.02	9.45
Required Water Depth	36 + 2	10.97 + 0.61
PIER 4 - EAST		
	Feet	Meter
Water Depth Alongside Dock	31.21	9.51
Required Water Depth	36 + 2	10.97 + 0.61
PIER 4 - WEST		
	Feet	Meter
Water Depth Alongside Dock	32.54	9.92
Required Water Depth	36 + 2	10.97 + 0.61
PIER 9 - EAST		
	Feet	Meter
Water Depth Alongside Dock	20.99	6.40
Required Water Depth		
PIER 9 - SOUTH		
	Feet	Meter
Water Depth Alongside Dock	28.70	8.75
Required Water Depth		
PIER 9 - WEST		
	Feet	Meter
Water Depth Alongside Dock	17.55	5.35
Required Water Depth		
PIER 10 - SOUTH		
	Feet	Meter
Water Depth Alongside Dock	21.09	6.43
Required Water Depth	36	10.97

PIER 10 - WEST		
	Feet	Meter
Water Depth Alongside Dock	19.95	6.08
Required Water Depth		
PIER 14 – EXTENSION		
	Feet	Meter
Water Depth Alongside Dock	32.57	9.93
Required Water Depth	36 + 2	10.97 + 0.61
PIER 15 (OUTFITTING PIER EAST)		
	Feet	Meter
Water Depth Alongside Dock	21.45	6.54
Required Water Depth	30 + 2	9.14 + 0.61
PIER 15 (OUTFITTING PIER WEST)		
	Feet	Meter
Water Depth Alongside Dock	17.13	5.22
Required Water Depth	30 + 2	9.14 + 0.61
PIER 15 (TENDER PIER EAST)		
	Feet	Meter
Water Depth Alongside Dock	18.56	5.66
Required Water Depth	30 + 2	9.14 + 0.61
PIER 16		
	Feet	Meter
Water Depth Alongside Dock	19.77	6.03
Required Water Depth	30 + 2	9.14 + 0.61
PUERTO NUEVO DOCK C		
	Feet	Meter
Water Depth Alongside Dock	-27.39	8.35
Required Water Depth	33 + 2	10.06 + 0.61
PUERTO NUEVO DOCK D		
	Feet	Meter
Water Depth Alongside Dock	25.80	7.86
Required Water Depth	33 + 2	10.06 + 0.61
PUERTO NUEVO DOCK E		
	Feet	Meter
Water Depth Alongside Dock	33.17	10.11

DOCK DRAFT CERTIFICATION

4 | Page

May 3, 2023

Required Water Depth	39 + 2	11.89 + 0.61
PUERTO NUEVO DOCK F		
	Feet	Meter
Water Depth Alongside Dock	34.47	10.51
Required Water Depth	39 + 2	11.89 + 0.61
PUERTO NUEVO DOCK G		
	Feet	Meter
Water Depth Alongside Dock	33.59	10.24
Required Water Depth	39 + 2	11.89 + 0.61
PUERTO NUEVO DOCK H		
	Feet	Meter
Water Depth Alongside Dock	35.62	10.86
Required Water Depth	39 + 2	11.89 + 0.61
PUERTO NUEVO DOCK J		
	Feet	Meter
Water Depth Alongside Dock	36.16	11.02
Required Water Depth	39 + 2	11.89 + 0.61
PUERTO NUEVO DOCK K		
	Feet	Meter
Water Depth Alongside Dock	33.96	10.35
Required Water Depth	39 + 2	11.89 + 0.61
PUERTO NUEVO DOCK L		
	Feet	Meter
Water Depth Alongside Dock	35.85	10.93
Required Water Depth	39 + 2	11.89 + 0.61
PUERTO NUEVO DOCK M		
	Feet	Meter
Water Depth Alongside Dock	36.50	11.13
Required Water Depth	39 + 2	11.89 + 0.61
PUERTO NUEVO DOCK N		
	Feet	Meter
Water Depth Alongside Dock	36.57	11.15
Required Water Depth	39 + 2	11.89 + 0.61
PUERTO NUEVO DOCK O		
	Feet	Meter

DOCK DRAFT CERTIFICATIOIN


5 | Page

May 3, 2023

Water Depth Alongside Dock	33.88	10.33
Required Water Depth	39 + 2	11.89 + 0.61

- Depths were measured and referred to Mean Lower Low Water (MLLW)

Given in San Juan, Puerto Rico, today May 3, 2023.



Romel Pedraza Claudio, P.E.
Assitant Executive Director for
Planning, Engineering and Construction

INDICE

TITULO	PAGINA
Hydrographic Survey Certification for Crowley Berth	1
Hydrographic Survey Certification for Crowley Ramp.....	4
Hydrographic Survey Certification for Isla Grande C (Concrete)	7
Hydrographic Survey Certification for Isla Grande R (Ramp)	10
Hydrographic Survey Certification for Pan-American Cruise Ship Dock-East	13
Hydrographic Survey Certification for Pan-American Cruise Ship Dock-West ...	16
Hydrographic Survey Certification for Pier 3-East	19
Hydrographic Survey Certification for Pier 3-West	22
Hydrographic Survey Certification for Pier 4-East	25
Hydrographic Survey Certification for Pier 4-West	28
Hydrographic Survey Certification for Pier 9-East	31
Hydrographic Survey Certification for Pier 9-South	34
Hydrographic Survey Certification for Pier 9-West	37
Hydrographic Survey Certification for Pier 10-South	40
Hydrographic Survey Certification for Pier 10-West	43
Hydrographic Survey Certification for Pier 14-Extension	46
Hydrographic Survey Certification for Pier 15- (Outfitting Pier East)	49
Hydrographic Survey Certification for Pier 15 (Outfitting Pier West)	52
Hydrographic Survey Certification for Pier 15 (Tender Pier East)	55
Hydrographic Survey Certification for Pier 16	58
Hydrographic Survey Certification for Puerto Nuevo Dock C	61
Hydrographic Survey Certification for Puerto Nuevo Dock D	64
Hydrographic Survey Certification for Puerto Nuevo Dock E	67
Hydrographic Survey Certification for Puerto Nuevo Dock F	70
Hydrographic Survey Certification for Puerto Nuevo Dock G	73
Hydrographic Survey Certification for Puerto Nuevo Dock H	76
Hydrographic Survey Certification for Puerto Nuevo Dock J	79
Hydrographic Survey Certification for Puerto Nuevo Dock K	82
Hydrographic Survey Certification for Puerto Nuevo Dock L	85
Hydrographic Survey Certification for Puerto Nuevo Dock M	88
Hydrographic Survey Certification for Puerto Nuevo Dock N	91
Hydrographic Survey Certification for Puerto Nuevo Dock O	94

Hydrographic Survey Certification For Crowley Berth



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Crowley Berth

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Crowley Berth

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -36.05 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 26' 59.4802" N	66° 06' 00.9005" W

	Feet	Meters
Water Depth Alongside Dock	36.05	10.99
Required Water Depth	36	10.97


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.



Hydrographic Survey Certification For Crowley Ramp



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Crowley Ramp

Date: May 2, 2023.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Crowley Ramp

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Crowley Ramp on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -13.35 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 05.9255" N	66° 06' 08.1625" W

	Feet	Meters
Water Depth Alongside Dock	13.35	4.07
Required Water Depth	36	10.97


Certified correct on the city of Caguas, Puerto Rico May 2, 2023.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: May 2, 2023.



Hydrographic Survey Certification For Isla Grande C (Concrete)



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Isla Grande C (Concrete)

Date: May 2, 2023.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Isla Grande C (Concrete)

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Isla Grande C (concrete) on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -28.00 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 33.7208" N	66° 06' 07.0971" W

	Feet	Meters
Water Depth Alongside Dock	28.00	8.53
Required Water Depth		


Certified correct on the city of Caguas, Puerto Rico May 2, 2023.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: May 2, 2023.





**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Isla Grande C (Concrete)

Date: January 10, 2023.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Isla Grande C (Concrete)

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -24.47 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 34.5079" N	66° 06' 09.5892" W

	Feet	Meters
Water Depth Alongside Dock	24.47	7.46
Required Water Depth		

Certified correct on the city of Caguas, Puerto Rico January 10, 2023.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: January 10, 2023.

Hydrographic Survey Certification For Isla Grande R (Ramp)



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Isla Grande R (Ramp)

Date: January 10, 2023.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Isla Grande R (Ramp)

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -12.39 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 33.3904" N	66° 06' 05.0964" W

	Feet	Meters
Water Depth Alongside Dock	12.39	3.78
Required Water Depth		


Certified correct on the city of Caguas, Puerto Rico January 10, 2023.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: January 10, 2023



Hydrographic Survey Certification For Pan-American Cruise Ship Dock - East



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pan-American Cruise Ship Dock - East

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Pan-American Cruise Ship Dock - East

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -33.67 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 32.3753" N	66° 05' 46.8517" W

	Feet	Meters
Water Depth Alongside Dock	33.67	10.26
Required Water Depth	36 + 2	10.97 + 0.61


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972


Date: December 21, 2022.



CERTIFIED ELEVATION
ELEV. -33.67

PANAMERICAN CRUISE
SHIP DOCK EAST

ELEVATION LEGEND



Hydrographic Survey Certification For Pan-American Cruise Ship Dock - West



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pan-American Cruise Ship Dock - West

Date: January 10, 2023.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Pan-American Cruise Ship Dock - West

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -34.39 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 33.6007" N	66° 05' 57.1479" W

	Feet	Meters
Water Depth Alongside Dock	34.39	10.48
Required Water Depth	36 + 2	10.97 + 0.61

Certified correct on the city of Caguas, Puerto Rico January 10, 2023.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: January 10, 2023.



Hydrographic Survey Certification For Pier 3 - East



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier 3 - East

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Pier 3 - East

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -30.78 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 48.4284" N	66° 06' 41.5213" W

	Feet	Meters
Water Depth Alongside Dock	30.78	9.38
Required Water Depth	36 + 2	10.97 + 0.61

Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.

ELEVATION LEGEND



PIER 3 EAST
CERTIFIED ELEVATION
ELEV. -30.78



Hydrographic Survey Certification For Pier 3 - West



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier 3 - West

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Pier 3 - West

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -31.02 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 48.2225" N	66° 06' 43.2421" W

	Feet	Meters
Water Depth Alongside Dock	31.02	9.45
Required Water Depth	36 + 2	10.97 + 0.61


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.



Hydrographic Survey Certification For Pier 4 - East



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier 4 - East

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Pier 4 - East

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -31.21 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 48.0773" N	66° 06' 35.0007" W

	Feet	Meters
Water Depth Alongside Dock	31.21	9.51
Required Water Depth	36 + 2	10.97 + 0.61


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.



Hydrographic Survey Certification For Pier 4 - West



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier 4 - West

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Pier 4 - West

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -32.54 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 45.0295" N	66° 06' 36.6418" W

	Feet	Meters
Water Depth Alongside Dock	32.54	9.92
Required Water Depth	36 + 2	10.97 + 0.61


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.



PIER 4 WEST
CERTIFIED ELEVATION
ELEV. -32.54

PIER 6

PIER 4

ER 3

ELEVATION LEGEND



Hydrographic Survey Certification For Pier 9 - East



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier 9 - East

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Pier 9 - East

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -20.99 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 47.9825" N	66° 06' 10.8813" W

	Feet	Meters
Water Depth Alongside Dock	20.99	6.40
Required Water Depth		


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.



Hydrographic Survey Certification For Pier 9 - South



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier 9 - South

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Pier 9 - South

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -28.70 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 44.6680" N	66° 06' 15.1785" W

	Feet	Meters
Water Depth Alongside Dock	28.70	8.75
Required Water Depth		


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.



Hydrographic Survey Certification For Pier 9 - West



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier 9 - West

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Pier 9 - West

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -17.55 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 50.5453" N	66° 06' 13.6996" W

	Feet	Meters
Water Depth Alongside Dock	17.55	5.35
Required Water Depth		

Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot


Registered Land Surveyor No.12972

Date: December 21, 2022.


PIER 9 WEST CERTIFIED ELEVATION ELEV. -17.55

ELEVATION

ELEVATION LEGEND



PIER 9



Hydrographic Survey Certification For Pier 10 - South



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier 10 - South

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Pier 10 - South

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -21.09 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 42.7254" N	66° 06' 10.5464" W

	Feet	Meters
Water Depth Alongside Dock	21.09	6.43
Required Water Depth	36	10.97


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.



Hydrographic Survey Certification For Pier 10 - West



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier 10 - West

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Pier 10 - West

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -19.95 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 47.3061" N	66° 06' 09.6359" W

	Feet	Meters
Water Depth Alongside Dock	19.95	6.08
Required Water Depth		

Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972


Date: December 21, 2022.

CERTIFIED ELEVATION
ELEV. -19.95

PIER 9

PIER 10 WEST

ELEVATION LEGEND



86.09

Hydrographic Survey Certification For Pier 14 Extension



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier 14 Extension

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Pier 14 Extension

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -32.57 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 41.0485" N	66° 05' 44.3057" W

	Feet	Meters
Water Depth Alongside Dock	32.57	9.93
Required Water Depth	36 + 2	10.97 + 0.61

Certified correct on the city of Caguas, Puerto Rico December 21, 2022.




Javier E. Bidot

Registered Land Surveyor No.12972


Date: December 21, 2022.

ELEVATION LEGEND



PIER 14 EXTENSION

CERTIFIED ELEVATION
ELEV. -32.57



Hydrographic Survey Certification For Pier 15 (Outfitting Pier East)



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier 15 (Outfitting Pier East)

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Pier 15 (Outfitting Pier East)

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -21.45 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 26' 50.2517" N	66° 05' 22.6259" W

	Feet	Meters
Water Depth Alongside Dock	21.45	6.54
Required Water Depth	30 + 2	9.14 + 0.61

Certified correct on the city of Caguas, Puerto Rico December 21, 2022.




Javier E. Bidot


Registered Land Surveyor No.12972

Date: December 21, 2022.

SAN JUAN FERRY TERMINAL
PIER 15 (OUTFITTING EAST)



LEGEND



Hydrographic Survey Certification For Pier 15 (Outfitting Pier West)



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier 15 (Outfitting Pier West)

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Pier 15 (Outfitting Pier West)

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -17.13 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 26' 54.3010" N	66° 05' 21.3634" W

	Feet	Meters
Water Depth Alongside Dock	17.13	5.22
Required Water Depth	30 + 2	9.14 + 0.61

Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.

SAN JUAN FERRY TERMINAL

PIER 15 (OUTFITTING WEST)
CERTIFIED ELEVATION
ELEV=17.13

136.00

PIER 15 (OUTFITTING)

LEGEND



GRAVING DOCK TURNING BASIN

Hydrographic Survey Certification For Pier 15 (Tender Pier East)



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier 15 (Tender Pier East)

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Pier 15 (Tender Pier East)

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -18.56 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 26' 50.6974" N	66° 05' 26.5135" W

	Feet	Meters
Water Depth Alongside Dock	18.56	5.66
Required Water Depth	30 + 2	9.14 + 0.61

Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot


Registered Land Surveyor No.12972

Date: December 21, 2022.

LEGEND



PIER 15 (TENDER - EAST)
CERTIFIED ELEVATION
ELEV= -18.56



Hydrographic Survey Certification For Pier 16



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier 16

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Pier 16

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -19.77 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 26' 52.7460" N	66° 05' 12.4364" W

	Feet	Meters
Water Depth Alongside Dock	19.77	6.03
Required Water Depth	30 + 2	9.14 + 0.61


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.



Hydrographic Survey Certification For Puerto Nuevo Dock A



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Puerto Nuevo Dock A

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Puerto Nuevo Dock A

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -22.04 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 25' 41.2387" N	66° 06' 25.4499" W

	Feet	Meters
Water Depth Alongside Dock	22.04	6.72
Required Water Depth	33 + 2	10.06 + 0.61

Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No. 12972

Date: December 21, 2022.


PUERTO NUEVO CATWALK
ONLY FOR MOORING PURPOSE
(NOT DOCKING)



PUERTO NUEVO DOCK A

CERTIFIED ELEVATION
ELEV = -22.04

ELEVATION LEGEND



Hydrographic Survey Certification For Puerto Nuevo Dock B



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Puerto Nuevo Dock B

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Puerto Nuevo Dock B

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -33.92 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 25' 45.3783" N	66° 06' 20.4259" W

	Feet	Meters
Water Depth Alongside Dock	33.92	10.34
Required Water Depth	33 + 2	10.06 + 0.61

Certified correct on the city of Caguas, Puerto Rico December 21, 2022.




Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.

CERTIFIED ELEVATION
ELEV = -33.92



Hydrographic Survey Certification For Puerto Nuevo Dock C



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Puerto Nuevo Dock C

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Puerto Nuevo Dock C

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -27.39 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 25' 47.4483" N	66° 06' 14.8299" W

	Feet	Meters
Water Depth Alongside Dock	-27.39	8.35
Required Water Depth	33 + 2	10.06 + 0.61

Certified correct on the city of Caguas, Puerto Rico December 21, 2022.




Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.

CERTIFIED ELEVATION
ELEV = -27.39



PUERTO NUEVO DOCK C

ELEVATION LEGEND



Hydrographic Survey Certification For Puerto Nuevo Dock D



JAVIER E. BIDOT
ASSOCIATES, PSC
Land Surveyors & Consultants

Hydrographic Survey Certification For Puerto Nuevo Dock D

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Puerto Nuevo Dock D

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -25.80 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 25' 52.3327" N	66° 06' 06.5014" W

	Feet	Meters
Water Depth Alongside Dock	25.80	7.86
Required Water Depth	33 + 2	10.06 + 0.61


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.




PUERTO NUEVO DOCK D

CERTIFIED ELEVATION

ELEV = -25.80

ELEVATION LEGEND



Hydrographic Survey Certification For Puerto Nuevo Dock E



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Puerto Nuevo Dock E

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Puerto Nuevo Dock E

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -33.17 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 25' 52.8661" N	66° 06' 05.6420" W

	Feet	Meters
Water Depth Alongside Dock	33.17	10.11
Required Water Depth	39 + 2	11.89 + 0.61


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.




PUERTO NUEVO DOCK E

CERTIFIED ELEVATION

ELEV = -33.17

ELEVATION LEGEND



Hydrographic Survey Certification For Puerto Nuevo Dock F



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Puerto Nuevo Dock F

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Puerto Nuevo Dock F

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -34.47 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 25' 58.0790" N	66° 05' 56.7999" W

	Feet	Meters
Water Depth Alongside Dock	34.47	10.51
Required Water Depth	39 + 2	11.89 + 0.61


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.



Hydrographic Survey Certification For Puerto Nuevo Dock G



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Puerto Nuevo Dock G

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Puerto Nuevo Dock G

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -33.59 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 25' 59.0904" N	66° 05'55.0079" W

	Feet	Meters
Water Depth Alongside Dock	33.59	10.24
Required Water Depth	39 + 2	11.89 + 0.61


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.



PUERTO NUEVO DOCK G

CERTIFIED ELEVATION

ELEV = -33.59

ELEVATION LEGEND



Hydrographic Survey Certification For Puerto Nuevo Dock H



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Puerto Nuevo Dock H

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Puerto Nuevo Dock H

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -35.62 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 26' 05.1174" N	66° 05' 44.9101" W

	Feet	Meters
Water Depth Alongside Dock	35.62	10.86
Required Water Depth	39 + 2	11.89 + 0.61


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.



PUERTO NUEVO DOCK H

CERTIFIED ELEVATION

ELEV = -35.62

ELEVATION LEGEND



Hydrographic Survey Certification For Puerto Nuevo Dock J



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Puerto Nuevo Dock J

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Puerto Nuevo Dock J

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -36.16 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 26' 08.2064" N	66° 05' 39.4265" W

	Feet	Meters
Water Depth Alongside Dock	36.16	11.02
Required Water Depth	39 + 2	11.89 + 0.61


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.



Hydrographic Survey Certification For Puerto Nuevo Dock K



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Puerto Nuevo Dock K

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Puerto Nuevo Dock K

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -33.96 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 26' 09.9753" N	66° 05' 36.3184" W

	Feet	Meters
Water Depth Alongside Dock	33.96	10.35
Required Water Depth	39 + 2	11.89 + 0.61


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.



Hydrographic Survey Certification For Puerto Nuevo Dock L



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Puerto Nuevo Dock L

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Puerto Nuevo Dock L

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -35.85 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 26' 14.4392" N	66° 05' 28.8332" W

	Feet	Meters
Water Depth Alongside Dock	35.85	10.93
Required Water Depth	39 + 2	11.89 + 0.61


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.



Hydrographic Survey Certification For Puerto Nuevo Dock M



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Puerto Nuevo Dock M

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Puerto Nuevo Dock M

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -36.50 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 26' 17.5487" N	66° 05' 23.6025" W

	Feet	Meters
Water Depth Alongside Dock	36.50	11.13
Required Water Depth	39 + 2	11.89 + 0.61


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.



PUERTO NUEVO DOCK M
 CERTIFIED ELEVATION
 ELEV = -36.50

ELEVATION LEGEND



Hydrographic Survey Certification For Puerto Nuevo Dock N



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Puerto Nuevo Dock N

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Puerto Nuevo Dock N

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -36.57 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 26' 18.2891" N	66° 05' 22.3051" W

	Feet	Meters
Water Depth Alongside Dock	36.57	11.15
Required Water Depth	39 + 2	11.89 + 0.61


Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.



Hydrographic Survey Certification For Puerto Nuevo Dock O



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Puerto Nuevo Dock O

Date: December 21, 2022.

To: Eng. Romel Pedraza, Puerto Rico Ports Authority

Re: Report of Measured Depths at Puerto Nuevo Dock O

I Javier E. Bidot, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Puerto Nuevo Dock C on April 28, 2022 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -33.88 feet alongside dock with a dual frequency, single beam ODOM Hydrotrac CV100 DF echosounder, and GNSS RTK positioning, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 26' 23.7615" N	66° 05' 13.0168" W

	Feet	Meters
Water Depth Alongside Dock	33.88	10.33
Required Water Depth	39 + 2	11.89 + 0.61

Certified correct on the city of Caguas, Puerto Rico December 21, 2022.



Javier E. Bidot

Registered Land Surveyor No.12972

Date: December 21, 2022.

