



Dock Draft Certification for Cruise Piers

San Juan Cruise Port



Dock Draft Certification

In accordance with Law 08-12-1988 and Regulation Number 7214, "Reglas de Tránsito en los Muelles del Puerto de Puerto Rico de 2006," as well as Resolution Number 2006-002, the docking depths of the terminals operated by San Juan Cruise Port (SJCP) are hereby certified.

The data was provided by Javier E. Bidot Associates, PSC, bathymetry survey conducted between May 1, 2025, and June 26, 2025.

Pier 3- East		
	Feet	Meter
Water Depth Alongside Dock	31.20	9.51

Pier 3- West		
	Feet	Meter
Water Depth Alongside Dock	36.00	10.97

Pier 4- East		
	Feet	Meter
Water Depth Alongside Dock	33.56	10.23



Pier 4- West		
	Feet	Meter
Water Depth Alongside Dock	32.38	9.87

Panamerican Pier- East		
	Feet	Meter
Water Depth Alongside Dock	32.45	9.89

Panamerican Pier- West		
	Feet	Meter
Water Depth Alongside Dock	35.86	10.93

Depths were measured and referred to Mean Lower Low Water (M.L.L.W.).

Giving in San Juan, Puerto Rico, today ***July 10th***, 2025.

Clarivette Diaz
General Manger

Hydrographic Survey Certification for

Pier 3- East



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier 3 - East

Date: June 26, 2025.

To: San Juan Cruice Ports, LLC

Re: Report of Measured Depths at Pier 3 - East

I Carlos M. Lebrón Cabrera, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Pier 3 East on June 6, 2025 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -31.20 feet alongside dock as measured with a PING 3DSS-IDX-Pro Sonar Multibeam System, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 48.40766" N	66° 06' 41.60895" W

	Feet	Meters
Water Depth Alongside Dock	31.20	9.51

Certified correct on the city of Caguas, Puerto Rico June 26, 2025.



Digitally signed
by Carlos M
Lebron
Date: 2025.06.26
13:02:39 -04'00'

Carlos M. Lebrón Cabrera

Registered Land Surveyor No.23744


Date: June 26, 2025.

HYDROGRAPHIC (BATHYMETRIC) SURVEY
 FOR SAN JUAN CRUISE PORT, LLC
 LOCATED AT SAN JUAN HARBOR PIER 3 EAST
 MUNICIPALITY OF SAN JUAN, PUERTO RICO

JAVIER E. BIDOT
 Lead Surveyors & Consultants
 10000 Avenida Ponce, Suite 100
 San Juan, Puerto Rico 00901
 Phone: (787) 762-1111
 Fax: (787) 762-1112
 Email: jebidot@jebidot.com

PROJECT NO. 111
 DATE: MAY 14, 2014
 SHEET NO. 1 OF 2


THE INFORMATION CONTAINED HEREIN IS THE PROPERTY OF JAVIER E. BIDOT ASSOCIATES, P.C. AND SHALL BE REPRODUCED IN WHOLE OR IN PART WITHOUT PERMISSION OF JAVIER E. BIDOT ASSOCIATES, P.C.



HYDROGRAPHIC (BATHYMETRIC) SURVEY
 SCALE: 1" = 40'
 NOTE FOR LEGEND AND GENERAL NOTES, PLEASE SEE DRAWING NO. VP-1

Hydrographic Survey Certification for

Pier 3- West



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier No. 3 -West

Date: July 18, 2025.

To: San Juan Cruise Ports, LLC

Re: Report of Measured Depths at Pier No. 3 - West

I Carlos M. Lebrón Cabrera, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority that I have conducted a bathymetric survey for Pier No. 3-West on June 6, 2025 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -36 feet at 5 feet offset alongside dock as measured with a PING 3DSS-IDX-Pro Sonar Multibeam System, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
SPCS NAD83 (2011), Epoch 2010	18° 27' 42.20321" N	66° 06' 42.4791" N

	Feet	Meters
Water Depth at 5 Feet Offset Alongside Dock (MLLW)	36.00	10.97

Please refer to Hydrographic Survey Drawings for site conditions.

Certified correct on the city of Caguas, Puerto Rico July 18, 2025.



Digitally signed
by Carlos M.
Lebron
Date: 2025.07.18
11:08:26 -04'00'


Carlos M. Lebrón Cabrera
Registered Land Surveyor No.23744
Date: July 18, 2025.

NO. 1	DATE	BY	REVISION

JAVIER M. BIDOT
ASSOCIATES, P.S.C.
 Land Surveyors & Cartographers
 1000 Highway 100, Suite 100
 San Juan, Puerto Rico 00909
 Phone: (787) 734-1100
 Fax: (787) 734-1101
 www.jmbs.com

HYDROGRAPHIC (BATHYMETRIC) SURVEY
 FOR SAN JUAN BAY PIER 3 WEST
 LOCATED AT SAN JUAN HARBOR
 MUNICIPALITY OF SAN JUAN, PUERTO RICO

DATE	NO. 1
FIELD NO.	
PROJECT NO.	
DATE	
BY	
REVISION	







HYDROGRAPHIC (BATHYMETRIC) SURVEY
 FOR SAN JUAN BAY PIER 3 WEST
 LOCATED AT SAN JUAN HARBOR,
 MUNICIPALITY OF SAN JUAN, PUERTO RICO.

INDEX OF DRAWINGS:

PROJECT NO.	DESCRIPTION

- GENERAL NOTES:**
1. ALL DIMENSIONS ARE EXPRESSED IN METERS UNLESS OTHERWISE NOTED.
 2. FIELDWORK WAS COMPLETED ON JUNE 1, 2024.
 3. ALL DATA WAS COLLECTED USING A REAL TIME GPS SURVEYING SYSTEM.
 4. VERTICAL DATUM IS REFERRED TO MEAN SEA LEVEL.
 5. PLEASE REFER TO SURVEY REPORT.
 6. THIS SURVEY WAS CONDUCTED IN ACCORDANCE WITH THE SURVEYING ACT OF 1998.
 7. ALL ELEVATIONS SHOWN HEREON ARE IN FEET AND DECIMALS THEREOF.
 8. ALL ELEVATIONS SHOWN HEREON ARE IN FEET AND DECIMALS THEREOF.
 9. ALL ELEVATIONS SHOWN HEREON ARE IN FEET AND DECIMALS THEREOF.
 10. ALL ELEVATIONS SHOWN HEREON ARE IN FEET AND DECIMALS THEREOF.
 11. ALL ELEVATIONS SHOWN HEREON ARE IN FEET AND DECIMALS THEREOF.
 12. ALL ELEVATIONS SHOWN HEREON ARE IN FEET AND DECIMALS THEREOF.
 13. ALL ELEVATIONS SHOWN HEREON ARE IN FEET AND DECIMALS THEREOF.
 14. ALL ELEVATIONS SHOWN HEREON ARE IN FEET AND DECIMALS THEREOF.
 15. ALL ELEVATIONS SHOWN HEREON ARE IN FEET AND DECIMALS THEREOF.
 16. ALL ELEVATIONS SHOWN HEREON ARE IN FEET AND DECIMALS THEREOF.
 17. ALL ELEVATIONS SHOWN HEREON ARE IN FEET AND DECIMALS THEREOF.
 18. ALL ELEVATIONS SHOWN HEREON ARE IN FEET AND DECIMALS THEREOF.
 19. ALL ELEVATIONS SHOWN HEREON ARE IN FEET AND DECIMALS THEREOF.
 20. ALL ELEVATIONS SHOWN HEREON ARE IN FEET AND DECIMALS THEREOF.




THIS MATERIAL BEING THE PROPERTY OF JAVIER E. BIDOT & ASSOCIATES, P.S.C.
 AND SHALL NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF JAVIER E. BIDOT & ASSOCIATES, P.S.C.

DATE	11/15/2018
SCALE	1" = 100'
PROJECT NO.	18-001
CLIENT	MUNICIPALITY OF SAN JUAN PIER 3 WEST
LOCATION	FOR SAN JUAN BAY PIER 3 WEST
DATE	11/15/2018

JAVIER E. BIDOT & ASSOCIATES, P.S.C.
 Land Surveyors & Consultants
 1100 N. 10th Street, Suite 100
 San Juan, P.R. 00909
 Phone: (787) 751-1111
 Fax: (787) 751-1112
 Email: info@jebidot.com

HYDROGRAPHIC (BATHYMETRIC) SURVEY
 FOR SAN JUAN BAY PIER 3 WEST
 LOCATED AT SAN JUAN HARBOR
 MUNICIPALITY OF SAN JUAN, P.R.

PROJECT NO. 18-001
 DATE: 11/15/2018
 SCALE: 1" = 100'
 CLIENT: MUNICIPALITY OF SAN JUAN PIER 3 WEST
 LOCATION: FOR SAN JUAN BAY PIER 3 WEST
 DATE: 11/15/2018



Hydrographic Survey Certification for

Pier 4- East



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier 4 - East

Date: June 26, 2025.

To: San Juan Cruice Ports, LLC

Re: Report of Measured Depths at Pier 4 - East

I Carlos M. Lebrón Cabrera, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Pier 4 East on June 6, 2025 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -33.56 feet alongside dock as measured with a PING 3DSS-IDX-Pro Sonar Multibeam System, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 41.89792" N	66° 06' 34.3892" W

	Feet	Meters
Water Depth Alongside Dock	33.56	10.23

Certified correct on the city of Caguas, Puerto Rico June 26, 2025.



Digitally signed
by Carlos M
Lebron
Date: 2025.06.26
13:06:13 -04'00'


Carlos M. Lebrón Cabrera

Registered Land Surveyor No.23744

Date: June 26, 2025.

Hydrographic Survey Certification for

Pier 4- West



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pier 4 - West

Date: June 26, 2025.

To: San Juan Cruice Ports, LLC

Re: Report of Measured Depths at Pier 4 - West

I Carlos M. Lebrón Cabrera, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Pier 4 West on June 6, 2025 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -32.38 feet alongside dock as measured with a PING 3DSS-IDX-Pro Sonar Multibeam System, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 44.81701" N	66° 06' 36.60606" W

	Feet	Meters
Water Depth Alongside Dock	32.38	9.87

Certified correct on the city of Caguas, Puerto Rico June 26, 2025.



Digitally signed
by Carlos M
Lebron
Date:
2025.06.26
13:07:47 -04'00'

Carlos M. Lebrón Cabrera

Registered Land Surveyor No.23744


Date: June 26, 2025.

DATE	NO.	REVISION

JAVIER E. RUIZ ASSOCIATES, P.S.C.
 Land Surveyors & Consultants
 1000 N. W. 10th St., Suite 100
 Ft. Lauderdale, FL 33304
 Phone: (561) 533-1111
 Fax: (561) 533-1112
 www.jera.com

HYDROGRAPHIC (BATHYMETRIC) SURVEY
 FOR SAN JUAN BAY CRUISE PORT, LLC
 LOCATED AT SAN JUAN HARBOR PER 4
 MUNICIPALITY OF SAN JUAN, PUERTO RICO

PROJECT NO.	DATE



HYDROGRAPHIC (BATHYMETRIC) SURVEY
 SCALE 1" = 60'
 NOTE: FOR LEGEND AND GENERAL NOTES, PLEASE SEE DRAWING NO. 1074

Hydrographic Survey Certification for

Pier Panamerican Pier- East



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pan-American Cruise Ship Dock - East

Date: June 26, 2025.

To: San Juan Cruise Ports, LLC

Re: Report of Measured Depths at Pan-American Cruise Ship Dock - East

I Carlos M. Lebrón Cabrera, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Pan-American Cruise Ship Dock East on June 6, 2025 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -32.45 feet alongside dock as measured with a PING 3DSS-iDX-Pro Sonar Multibeam System, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 32.19113" N	66° 05' 46.61173" W

	Feet	Meters
Water Depth Alongside Dock	32.45	9.89

Certified correct on the city of Caguas, Puerto Rico June 26, 2025.



Digitally signed
by Carlos M
Lebron
Date:
2025.06.26
13:17:11 -04'00'

Carlos M. Lebrón Cabrera

Registered Land Surveyor No.23744

Date: June 26, 2025.

Hydrographic Survey Certification for

Pier Panamerican Pier- West



**JAVIER E. BIDOT
ASSOCIATES, PSC**
Land Surveyors & Consultants

Hydrographic Survey Certification For Pan-American Cruise Ship Dock - West

Date: June 26, 2025.

To: San Juan Cruise Ports, LLC

Re: Report of Measured Depths at Pan-American Cruise Ship Dock - West

I Carlos M. Lebrón Cabrera, being a duly Registered Professional Land Surveyor in the Commonwealth of Puerto Rico, do hereby certify to the Puerto Rico Ports Authority, that I have conducted a bathymetric survey for Pan-American Cruise Ship Dock West on June 6, 2025 following USACE Hydrographic Manual EM-1110-2-1003 standards of care and practice. That in accordance with such specifications, the lowest measured elevation is -35.86 feet alongside dock as measured with a PING 3DSS-IDX-Pro Sonar Multibeam System, in a manner sufficient to ensure said location and depth are within the tolerances specified in the above referenced document. I do further certify that I have provided and reviewed the raw data and components collected by myself or personnel under my direct supervision at the specified location and find that said data supports the depth, at Mean Lower Low Water, of said location as reported below:

Horizontal Datum	North Latitude	West Longitude
NAD83 (2011), Epoch 2010	18° 27' 33.33237" N	66° 05' 55.84238" W

	Feet	Meters
Water Depth Alongside Dock	35.86	10.93

Certified correct on the city of Caguas, Puerto Rico June 26, 2025.






Digitally signed
by Carlos M
Lebron
Date:
2025.06.26
13:18:19 -04'00'

Carlos M. Lebrón Cabrera

Registered Land Surveyor No.23744

Date: June 26, 2025.

	THIS DRAWING IS THE PROPERTY OF JAVIER E. BIDOT ASSOCIATES, P.S.C. AND SHALL NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT THE WRITTEN PERMISSION OF JAVIER E. BIDOT ASSOCIATES, P.S.C.	 JAVIER E. BIDOT ASSOCIATES, P.S.C. Land Surveyors & Consultants 1000 N. W. 10th St., Suite 100 Ft. Lauderdale, FL 33304 Phone: (954) 561-1111 Fax: (954) 561-1112 Email: jeb@jebidot.com	HYDROGRAPHIC (BATHYMETRIC) SURVEY FOR SAN JUAN CRUISE PORT, LLC LOCATED AT PANAERICAN CRUISE SHIP DOCK, SAN JUAN HARBOR MUNICIPALITY OF SAN JUAN, PUERTO RICO	PROJECT TITLE:	DRAWING NO.:	SHEET NO.:	TOTAL SHEETS:
	DATE:			SCALE:	PROJECT NO.:	DRAWING DATE:	DATE:



DATE: MAY 14, 2024
 DRAWING NO.: VP-1
 SHEET NO.: 1 OF 1
 TOTAL SHEETS: 1